Brain Research, 473 (1988) 407–409
Elsevier

Author Index

Adams, R.N., see Michaelis, M.L., 249
Aigouy, L., Pajot, J., Raboisson, P., Vassel, A. and Woda, A., Localisation of the first-order neurone of the jaw opening reflex elicited by periodontal stimulation, 380
Arase, K., see Sakata, T., 43
Arii, T., see Igarashi, H., 365

Baird, J.L., see Glick, S.D., 161
Bargas, J., see Surmeier, D.J., 187
Berger, T.W., see Nisenbaum, E.S., 389
Bilkey, D.K., see Takazawa, A., 99
Bliss, T.V.P., see Fazeli, M.S., 51
Blomqvist, A., see Meyerson, B.J., 344
Bouhassira, D., see Hu, B., 394
Bowersox, J.A., see Starkstein, S.E., 7
Bradley, R.M., see Gurkan, S., 127
Braverman, S.B., see Sharma, S.C., 359
Brutus, M., Zuabi, S. and Siegel, A., Effects of D-Ala^2-Met^5-enkephalinamide microinjections placed into the bed nucleus of the stria terminalis upon affective defense behavior in the cat, 147
Bullock, A.E., see Glick, S.D., 161
Burton, P.R., Dendrites of mitral cell neurons contain microtubules of opposite polarity, 107
Buscaglia, M., see Silani, V., 169

Cadete-Leite, A., Tavares, M.A., Uylings, H.B.M. and Paula-Barbosa, M., Granule cell loss and dendritic regrowth in the hippocampal dentate gyrus of the rat after chronic alcohol consumption, 1
Cappabianca, V., see Parenti, M., 236
Carlson, J.N., see Glick, S.D., 161
Chandler, L.J., see Woodward, J.J., 91
Crawley, J.N., Attenuation of dark-induced hyperlocomotion by a cholecystokinin antagonist in the nucleus accumbens, 398
Crestani, F., see Tazi, A., 369

Dakshinamurti, K., see Viswanathan, M., 37
Dantzer, R., see Tazi, A., 369
Denlinger, S.L., Patarca, R. and Hobson, J.A., Differential enhancement of rapid eye movement sleep signs in the cat: a comparison of microinjection of the cholinergic agonist carbachol and the β-adrenergic antagonist propranolol on pontogeniculo-occipital clusters, 116
Deschênes, M., see Hu, B., 394
Deura, S., see Onozuka, M., 401
Didomenico, R., Nissanov, J. and Eaton, R.C., Lateralization and adaptation of a continuously variable behavior following lesions of a reticulospinal command neuron, 15
Dolphin, A.C., see Fazeli, M.S., 51

Eaton, R.C., see Didomenico, R., 15
Ericson, H., see Meyerson, B.J., 344
Errington, M.L., see Fazeli, M.S., 51

Falini, A., see Silani, V., 169
Fazeli, M.S., Errington, M.L., Dolphin, A.C. and Bliss, T.V.P., Long-term potentiation in the dentate gyrus of the anesthetized rat is accompanied by an increase in protein efflux into push–pull cannula perfusates, 51
Fliers, E., see Goudsmit, E., 306
François, C., Percheron, G., Yelnik, J. and Tandé, D., A topographic study of the course of nigral axons and of the distribution of pallidal axonal endings in the centre médian-parafascicular complex of macaques, 181
Fritschy, J.-M., Lyons, W.E., Molliver, M.E. and Grzanna, R., Neurotoxic effects of *p*-chloroamphetamine on the serotoninergic innervaton of the trigeminal motor nucleus: a retrograde transport study, 261
Fujimoto, K., see Sakata, T., 43
Fukagawa, K., see Sakata, T., 43
Fukushima, M., see Sakata, T., 43

Gallager, D.W., see Wilson, M.A., 198
Glick, S.D., Carlson, J.N., Baird, J.L., Maisonneuve, I.M. and Bullock, A.E., Basal and amphetamine-induced asymmetries in striatal dopamine release and metabolism: bilateral in vivo microdialysis in normal rats, 161
Goudsmit, E., Fliers, E. and Swaab, D.F., Testosterone supplementation restores vasopressin innervaton in the senescent rat brain, 306
Groppetti, A., see Parenti, M., 236
Gross, J.L., see Morrison, R.S., 141
Grzanna, R., see Fritschy, J.-M., 261
Gurkan, S. and Bradley, R.M., Effects of electrical stimulaton of autonomic nervous system on degranulation of von Ebner's gland acini, 127

Hattori, T. and Maehashi, H., Acceleration by stannous ion of the evoked release of transmitter from motor nerve endings in the frog, 157
Hebebrand, J., see Schmitz, E., 314
Hobson, J.A., see Denlinger, S.L., 116
Höglund, U., see Meyerson, B.J., 344
Holaday, J.W., see Martinez-Arizala, A., 385
Hu, B., Bouhassira, D., Steriade, M. and Deschênes, M., The blockage of ponto-geniculo-occipital waves in the cat lateral geniculate nucleus by nicotinic antagonists, 394

Igarashi, H., Nasu, F., Inomata, K. and Arii, T., High-voltage electron microscopy of E-PTA-stained synaptic junctions in the rat frontal cortex, 365
Imai, S., see Onozuka, M., 401
Infante, C., see Motles, E., 65
Inomata, K., see Igarashi, H., 365
Ishida, M. and Shinozaki, H., Excitatory action of a plant extract, stizolobic acid, in the isolated spinal cord of the rat, 193

Jiang, L.H., Kasser, R.J. and Wang, R.Y., Cholecystokinin antagonist lorglumide reverses chronic haloperidol-induced effects on dopamine neurons, 165
Johansson, C., see Meyerson, B.J., 344

Johe, K.K., see Michaelis, M.L., 249
Jonakait, G.M., Schotland, S. and Ni, L., Development of serotonin, substance P and thyrotrophin-releasing hormone in mouse medullary raphe grown in organotypic tissue culture: developmental regulation by serotonin, 336

Kasser, R.J., see Jiang, L.H., 165
Kawahara, K., Nakazono, Y., Kumagai, S., Yamauchi, Y. and Miyamoto, Y., Parallel suppression of extensor muscle tone and respiration by stimulation of pontine dorsal tegmentum in decerebrate cat, 81
Kitai, S.T., see Surmeier, D.J., 187
Kondo, H. and Yamamoto, M., Occurrence, ontogeny, ultrastructure and some plasticity of CGRP (calcitonin gene-related peptide)-immunoreactive nerves in the carotid body of rats, 283
Koshelev, V.B., see Ryasina, T.V., 153
Krushinsky, A.L., see Ryasina, T.V., 153
Kubo, K., see Onozuka, M., 401
Kumagai, S., see Kawahara, K., 81
Kurata, K., see Sakata, T., 43

Le Moal, M., see Tazi, A, 369
Leiva, J., see Motles, E., 65
Leslie, S.W., see Woodward, J.J., 91
Li, P., see Wang, Q., 227
Libet, B. and Mochida, S., Long-term enhancement (LTE) of postsynaptic potentials following neural conditioning, in mammalian sympathetic ganglia, 271
Long, J.B., see Martinez-Arizala, A., 385
Low, P.A., see Schmelzer, J.D., 321
Lozhnikova, S.M., see Ryasina, T.V., 153
Lyons, W.E., see Fritschy, J.-M., 261
Lyudkowskaya, I.G., see Ryasina, T.V., 153

Maehashi, H., see Hattori, T., 157
Maisonneuve, I.M., see Glick, S.D., 161
Martinez-Arizala, A., Long, J.B. and Holaday, J.W., TRH fails to antagonize the acute paralytic effects of intrathecal dynorphin A and substance P antagonists in the rat, 385
Martínez, I., see Motles, E., 65
McKenzie, J.C., see Turner, B.H., 60
McLamb, R.L., see Tandon, P., 241
Meyerson, B.J., Höglund, U., Johansson, C., Blomqvist, A. and Ericson, H., Neonatal vasopressin antagonist treatment facilitates adult copulatory behavior in female rats and increases hypothalamic vasopressin content, 344
Michaelis, M.L., Johe, K.K., Moghadam, B. and Adams, R.N., Studies on the ionic mechanism for the neuromodulatory actions of adenosine in the brain, 249
Miller, D.B., Restraint-induced analgesia in the CD-1 mouse: interactions with morphine and time of day, 327
Miura, M. and Takayama, K., The site of the origin of the so-called fastigial pressor response, 352
Miyamoto, Y., see Kawahara, K., 81
Mochida, S., see Libet, B., 271
Moghadam, B., see Michaelis, M.L., 249
Molliver, M.E., see Fritschy, J.-M., 261
Moran, T.H., see Starkstein, S.E., 74
Morrison, R.S., Gross, J.L. and Moskal, J.R., Inhibition of protein kinase C activity promotes the neurotrophic action of epidermal and basic fibroblast growth factors, 141
Moskal, J.R., see Morrison, R.S., 141
Motles, E., Infante, C., Leiva, J., Saavedra, H. and Martínez, I., Output pathway for turning behavior from the neostriatum and substantia nigra in cats, 65

Nakazono, Y., see Kawahara, K., 81
Nasu, F., see Igarashi, H., 365
Ni, L., see Jonakait, G.M., 336
Nisenbaum, E.S., Stricker, E.M., Zigmond, M.J. and Berger, T.W., Spontaneous activity of Type II but not Type I striatal neurons is correlated with recovery of behavioral function after dopamine-depleting brain lesions, 389
Nishiyama, K., see Onozuka, M., 401
Nissanov, J., see Didomenico, R., 15
Novicki, D., see Tandon, P., 241

Olasmaa, M. and Terenius, L., Coupling of receptors in brain membranes by fusion to the adenylate cyclase system of a foreign effector cell, 29
Onozuka, M., Imai, S., Kubo, K., Deura, S., Nishiyama, K. and Ozono, S., Cyclic AMP-dependent protein phosphorylation is involved in activation of the potassium current associated with endogenous cellular calcium in *Euhadra* neurons, 401
Oomura, Y., see Sakata, T., 43
Ozono, S., see Onozuka, M., 401

Pajot, J., see Aigouy, L., 380
Parati, E.A., see Parenti, M., 236
Parenti, M., Rusconi, L., Cappabianca, V., Parati, E.A. and Groppetti, A., Role of dopamine in manganese neurotoxicity, 236
Patarca, R., see Denlinger, S.L., 116
Paula-Barbosa, M., see Cadete-Leite, A., 1
Paulose, C.S., see Viswanathan, M., 37
Percheron, G., see Francois, C., 181
Pizzuti, A., see Silani, V., 169

Raboisson, P., see Aigouy, L., 380
Rappaport, I., see Sharma, S.C., 359
Reichelt, R., see Schmitz, E., 314
Richards, J.G., see Schmitz, E., 314
Richardson, C., see Simmons, R.W., 134
Richtand, N., see Turner, B.H., 60
Roberts, E., see Tamaru, M., 205
Robinson, R.G., see Starkstein, S.E., 74
Rusconi, L., see Parenti, M., 236
Ryasina, T.V., Koshelev, V.B., Krushinsky, AL., Lozhnikova, S.M., Sotskaya, M.N. and Lyudkovskaya, I.G., The role of short-term hypobaric hypoxia in prevention of disorders of the cerebral circulation in rats during acoustic stress, 153

Saavedra, H., see Motles, E., 65
Sakata, T., Arase, K., Fujimoto, K., Kurata, K., Fukagawa, K., Fukushima, M., Steffens, A.B. and Oomura, Y., Structural characteristics of endogenous sugar acids and relations to feeding modulation, 43
Sapolsky, R.M., see Stein, B.A., 175
Scarlato, G., see Silani, V., 169
Schmelzer, J.D. and Low, P.A., The effect of hyperbaric oxygenation and hypoxia on the blood–nerve barrier, 321
Schmitz, E., Reichelt, R., Walkowiak, W., Richards, J.G. and Hebebrand, J., A comparative phylogenetic study of the distribution of cerebellar $GABA_A$/benzodiazepine receptors using radioligands and monoclonal antibodies, 314
Schotland, S., see Jonakait, G.M., 336

Sharma, S.C., Braverman, S.B. and Rappaport, I., A monoclonal antibody specific for the visual system of the goldfish, 359
Shinozaki, H., see Ishida, M., 193
Shouse, M.N., Stroh, P.J. and Vreeken, T., Temporal lobe and petit mal antiepileptics differentially affect ventral lateral thalamic and motor cortex excitability patterns, 372
Shuey, D.L., see Tandon, P., 241
Siegel, A., see Brutus, M., 147
Silani, V., Pizzuti, A.,Strada, O., Falini, A., Buscaglia, M. and Scarlato, G., Human neuronal cell viability demonstrated in culture after cryopreservation, 169
Simmons, R.W. and Richardson, C., Peripheral regulation of stiffness during arm movements by coactivation of the antagonist muscles, 134
Siow, Y.L., see Viswanathan, M., 37
Sotskaya, M.N., see Ryasina, T.V., 153
Speckmann, E.-J., see Walden, J., 294
Starkstein, S.E., Moran, T.H., Bowersox, J.A. and Robinson, R.G., Behavioral abnormalities induced by frontal cortical and nucleus accumbens lesions, 74
Steffens, A.B., see Sakata, T., 43
Stein, B.A. and Sapolsky, R.M., Chemical adrenalectomy reduces hippocampal damage induced by kainic acid, 175
Steriade, M., see Hu, B., 394
Strada, O., see Silani, V., 169
Stricker, E.M., see Nisenbaum, E.S., 389
Stroh, P.J., see Shouse, M.N., 372
Surmeier, D.J., Bargas, J. and Kitai, S.T., Voltage-clamp analysis of a transient potassium current in rat neostriatal neurons, 187
Swaab, D.F., see Goudsmit, E., 306

Takayama, K., see Miura, M., 352
Takazawa, A. and Bilkey,D.K., Myoclonus inducing and seizure modifying effect of cysteamine on cortical and amygdaloid kindled rats, 99
Tamaru, M. and Roberts, E., I. Structure–activity studies on inhibition of choline uptake by a mouse brain synaptosomal preparation: basic data, 205
Tandon, P., McLamb, RL., Novicki, D., Shuey, D.L. and Tilson, H.A., Fetal hippocampal cell suspensions ameliorate behavioral effects of intradentate colchicine in the rat, 241
Tandé, D., see Francois, C., 181
Tavares, M.A., see Cadete-Leite, A., 1
Tazi, A., Dantzer, R., Crestani, F. and Le Moal, M., Interleukin-1 induces conditioned taste aversion in rats: a possible explanation for its pituitary–adrenal stimulating activity, 369
Terenius, L., see Olasmaa, M., 29
Tilson, H.A., see Tandon, P., 241
Turner, B.H., Wilson, J.S., McKenzie, J.C. and Richtand, N., MPTP produces a pattern of nigrostriatal degeneration which coincides with the mosaic organization of the caudate nucleus, 60

Uylings, H.B.M., see Cadete-Leite, A., 1

Vassel, A., see Aigouy, L., 380
Viswanathan, M., Siow, Y.L., Paulose, C.S. and Dakshinamurti, K., Pineal indoleamine metabolism in pyridoxine-deficient rats, 37
Vreeken, T., see Shouse, M.N., 372

Walden, J., Speckmann, E.-J. and Witte, O.W., Membrane currents induced by pentylenetetrazol in identified neurons of *Helix pomatia,* 294
Walkowiak, W., see Schmitz, E., 314
Wang, Q. and Li, P., Stimulation of the ventrolateral medulla inhibits the baroreceptor input to the nucleus tractus solitarius, 227
Wang, R.Y., see Jiang, L.H., 165
Wilson, J.S., see Turner, B.H., 60
Wilson, M.A. and Gallager, D.W., GABAergic subsensitivity of dorsal raphe neurons in vitro after chronic benzodiazepine treatment in vivo, 198
Witte, O.W., see Walden, J., 294
Woda, A., see Aigouy, L., 380
Woodward, J.J., Chandler, L.J. and Leslie, S.W., Calcium-dependent and -independent release of endogenous dopamine from rat striatal synaptosomes, 91

Yamamoto, M., see Kondo, H., 283
Yamauchi, Y., see Kawahara, K., 81
Yelnik, J., see François, C., 181

Zigmond, M.J., see Nisenbaum, E.S., 389
Zuabi, S., see Brutus, M., 147